

Work Order ID 138388***138388***

Page 1

Tuesday, October 27, 2015 11:27:34 AM

Item ID: D3953-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Gas Spring Stud, Lid

Start Date: 10/26/2015 Start Qty: 15.00

15

Cust Item ID:

Required Date: 10/26/2015 Req'd Qty: 15.00

15

Customer:

Reference:

Approvals: Process Plan: MLJ Date: OCT 29 2015

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3953

C

100

0.01

100

Doosan

Memo

0.03

Doosan Lathe

Turn as per folio FA852 & DWG

FOLIO REV: AADWG REV: CDAS
40
9-89

15/12/21

DEBURR

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

DAS
40
9-89

15/12/21

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 138388

Tuesday, October 27, 2015 11:27:34 AM

138388

Page 2

Item ID: D3953-3 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Gas Spring Stud, Lid
Start Date: 10/26/2015 Start Qty: 15.00 ***15*** Cust Item ID:
Required Date: 10/26/2015 Req'd Qty: 15.00 ***15*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.00							DAS 08 9-89
Quality Control									
130	Identify as per dwg & Stock Location: <u>Stacy A</u>	0.00							
130									
Packaging	Memo	0.00							24 DAS 6 9-89 JAN 04 2016
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.02							MLJ JAN 05 2016
Quality Control									

MLJ
JAN 04 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation		Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

Picklist Print

Tuesday, October 27, 2015 11:27:34 AM

Page 1

Work Order ID: 138388

138388

Parent Item: D3953-3

D3953-3

Parent Item Name: Gas Spring Stud, Lid

Start Date: 10/26/2015

Required Date: 10/26/2015

Start Qty: 15.00

Required Qty: 15.00

Comments:

IPP RevA: New issue DD verified by:EC
per dwg revC DD 10.03.02 verified by:EC

IPP Rev:B as

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304RO.750		Purchased	No			100	f	27.3900	0.125	1.973684			DAS
M304RO 750									**			15/12/21	40
304 SS Roundbar .750													9-99

Location

Loc Qty

Loc Code

MAT029

27.39

M128005

0.247

→ M128496

27.143

3.25

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								


8 7 6 5 4 3 2 1




D3953-1 GAS SPRING BRACKET
(FULL LID)




D3953-3 GAS SPRING STUD, LID




D3953-5 GAS SPRING STUD, BASE




D3953-7 GAS SPRING SPACER




D3953-9 GAS SPRING WASHER




D3953-11 GAS SPRING SPACER




D3953-13 GAS SPRING SPACER
(FULL LID)




D3953-15 GAS SPRING BRACKET
(SPLIT LID)



D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)




D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)

RELEASED
R 2010-02-26



THIS COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
DUE TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
138388.MLS
1570-29

C	PARTS -19 & -21 ADDED (SHT 1 & 4); CSK CALLOUT WAS CHAM (C6-2, B6-3, C6-4); & SYMM WAS & SYM ABOUT (C7-2, C7-4); SECTION C-C REPOSITIONED TO B2.4 REASON: ADDL PARTS REQD; DRAFTING ERRORS	JPH	10.01.29
B	SHEET 3 ZONE C1, DIM 0.05 MIN WAS 0.13, MULTIPLE DIMENSIONS MIN/MAX REMOVED TOLERANCE ADDED, REASON: DIFFICULTY INSTALLING COTTER PIN AT NEXT ASSY.	AJS	09.11.11
A	NEW ISSUE	AJS	09.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	GP	DRAWING NO.	REV. C
MFG. APPR.	GP	D3953	SHEET 1 OF 4
APPROVED	GP	TITLE	SCALE
DE APPR.	GP	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



D3953-3 GAS SPRING STUD, LID



D3953-5 GAS SPRING STUD, BASE



RELEASED
2010-02-26



1) MATERIAL -1: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH,
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S11GA

-3 & -5: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B
OR:
AIS1 304/316 STAINLESS STEEL ROD
REF DART SPEC M304R



- 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT -1: 0.11 lbs
 -3: 0.03 lbs
 -5: 0.06 lbs

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 2 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT PERMISSION FROM DART. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	



Ø0.63
Ø0.257^{+0.010}_{-0.000}



D3953-7 GAS SPRING SPACER





D3953-9 GAS SPRING WASHER



D3953-11 GAS SPRING SPACER

SECTION B-B B7-3



D3953-13 GAS SPRING SPACER

NOTES:

1) MATERIAL -7,-9 & -11: DELRIN II 150E OR ACETRON GP ACETAL, BLACK
REF DART SPEC M-DELIN-R

-13: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B

2) FINISH: N/A

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION -13 ONLY: IDENTIFY WITH DART P/N "D3953-13" USING FINE POINT PERMANENT INK MARKER


7) WEIGHT -7/-9/-11: < 0.01 lbs EACH

-13: 0.17 lbs


RELEASED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3953	REV: C
MFG. APPR.	<i>[Signature]</i>	SHEET 3 OF 4	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	
DATE	10.01.29	NTS	


COPYRIGHT © 2009 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.




D3953-15 GAS SPRING BRACKET
(SPLIT LID)




D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)



D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)



SECTION C-C

- NOTES:**
- 1) MATERIAL -15/-19/-21: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S11GA
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT -15: 0.08 lbs
-17: 0.10 lbs
-19: 0.07 lbs
-21: 0.06 lbs

-17: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B

RELEASED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	Q	DRAWING NO.	REV. C
MFG. APPR.	E	D3953	SHEET 4 OF 4
APPROVED	#	TITLE	SCALE
DE APPR.	#	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DART AEROSPACE LTD		Work Order:	138 388
Description: Gas Spring Stud, Lid		Part Number:	D3953-3
Inspection Dwg: D3953 Rev: C		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ **First Article**

 ☐ **Prototype**

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.75	+/-0.030	.749	✓		VERN	PAD-12
0.56	+/-0.010	.560	✓			
0.281	+/-0.010	.280	✓			
1/4-28 UNF-2A	N/A	1/4-28 UNF-2A	✓			
Major Ø	Max = 0.2490 Min = 0.2425	.2447	✓		MIC	PAD-02
M.O.W.	Max = 0.26687 Min = 0.26357	.2650	✓			
Ø0.098	+0.004/-0.001	.099	✓		VERN	PAD-12
Ø0.250	+/-0.010	.244	✓			
0.170	+/-0.010	.170	✓			
0.330	+/-0.010	.330	✓			
0.13	+/-0.030	.132	✓			
R0.06	+/-0.030	.060	✓			
1.31	+/-0.030	1.314	✓			

Measured by: <u>40</u> 9-89		Audited by: <u>Das</u> 9-89		Prototype Approval: N/A	
Date: 15/12/21		Date: 16/01/04		Date: N/A	

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	
B	09.12.14	Dwg Rev updated	KJ	